

F.P.JOURNE Invenit et Fecit

OCTA LUNE



OCTA LUNE NEW INTERPRETATION OF THE EMBLEMATIC OCTA COLLECTION

F.P. Journe presents the new Octa Lune: a more visible reading of the time and a date twice as large.

The 2 dials of the Octa Lune are in 18K Gold.

The first dial, off centre, with embossed hour numbers surfaced with a diamond tool has been enlarged for a better reading of the time.

The second dial features a very large date in aperture at 11h, the retrograde power reserve indicator on a scale of 120 efficient hours (5 days) at 9h and the phases of the moon at 8h.

The mechanical movement with automatic winding (calibre 1300.3) is manufactured in 18 K rose Gold. It is winded mono directionally by the F.P. Journe 22 K Gold rotor for an unequalled efficiency.

The Octa Lune is available with a case in 40 or 42 mm. in Platinum or in 18 K red Gold, a red or white Gold and silver dial, on leather strap, Platinum or red Gold bracelet.

Specifications_

Movement

Calibre Exclusive F.P. Journe 1300.3 in 18 K rose Gold

Mechanical with automatic winding

Rotor in 22 K Gold, off centre and quilloché

Winding speed, 274 rotations/24 hours (anti clock wise)

Dimensions of the movement

Overall diameter: 34.60 mm Casing-up diameter: 30.40 mm

Overall height: 5.95 mm

Height of winding system: 3.10 mm Diameter of stem thread: \$1.20 mm

Balance

Four adjustable inertia weights

Anachron flat balance spring

Mobile stud holder

Free-sprung

Nivatronic laser soldered balance spring

Pinned GE stud

Frequency: 21,600 v/h, (3Hz)

Inertia: 10.10 mg*cm² Angle of lift: 52°

Amplitude: 0h dial up: \pm 300° / 24h dial up: \pm 220°

Escapement_

Linear lever escapement 15 teeth

Autonomy_

 $160 \pm 12 \text{ hours}$

Main characteristics

Mono directional automatic winding

Instantaneous date change

Three position crown

Correction of the date, position 2, anti clock wise

Correction of the moon, position 2, clock wise

Correction of the time, position 3

Indication

Off centre hours, minutes and small second

Large date in aperture Power reserve at 9h Phases of the moon at 8h

Finishing_

Circular Côtes de Genève on bridges

Partial circular graining on base plate

Polished screw heads with chamfered slots

Pegs with polished rounded ends

Case

Platinum PT 950 or 18 K red Gold

Diameter: 40 or 42 mm Total height: 10.07 mm

Number of parts_

Jewels: 37

Movement without dial: 289 Cased up on leather strap: 312