élégante

To set the time

- unscrew the crown anti-clockwise until the clic from position 1 to position 2.
- pull out the crown from position 2 to position 3.
- set the time clockwise or anti-clockwise.
- push the crown back from position 3 to position 2.
- push and screw the crown clockwise to get back to position 1.


Important:

The position 1 (screw-down crown) garantees full functionality and water-resistance (3 atm) of your watch.



Titanium_ 48 mm

- 1 Titanium case.
- 2 Luminescent inner dial.
- 3 Blued Steel hands.
- 4 Inertia-block, motion sensor.




Platinum_ 40 mm

- 1 Platinum case.
- 2 White sapphire dial.
- 3 Blued Steel hands.
- 4 Inertia-block, motion sensor.


Red Gold_ 40 mm

- 1 Red gold case.
- 2 Black sapphire dial.
- 3 5N gilt Steel hands.
- 4 Inertia-block, motion sensor.



Titanium_ 40 mm

- 1 Titanium case.
- 2 Luminescent inner dial.
- 3 Blued Steel hands.
- 4 Inertia-block, motion sensor.
- 5 Cloisonné inserts.




Characteristics

Standby mode_

Your watch goes into standby mode after 30 minutes when not being worn (the inner mechanisms stop to save energy and extend the battery life). The hands will stop turning and the displayed time freezes.

Your watch rapidly reset to the exact time when moved. Time resetting is triggered by the motion sensor of the watch which restarts the mechanisms to display again the exact time.



Specifications

Movement_	Calibre 1210 Electro-mechanical. Patented two-rotor motor. Specific processor developped for F.P. Journe.	
	Quartz Frequency: 32,768 Hz	
Movement dimensions_	Overall dimensions: Casing-up dimension: Overall height: Height of winding stem: Diameter of stem thread:	28.5 x 28.3 mm 27.9 x 27.7 mm 3.13 mm 1.10 mm \$0.90 mm
Particularities_	Standby after 30 minutes motionless. Restart and automatic time setting when the watch is put back on. Motion detection oscillating weight visible on the dial. 2-position hand setting stem.	
Main characteristics_	Time adjustment in position 2. Stop second in time setting position (crown pulled).	
Autonomy_	Daily use: Standby:	8 to 10 years 18 years
Indications_	Central hours and minutes. Small second at 6h00.	
Finish_	4N gilt movement. Engraved and "Côtes de Genève" decorated battery bridge. Polished and bevelled screw heads. Pegs with polished rounded ends.	

Casing_		Blued Steel hands Inner dial sapphire Screwed "appliqué" outer dial Available in high jewellery version Red Gold Version - 40 mm Red Gold set with 38 VVS F/G diamonds for 5N gilt hands Inner dial sapphire Screwed "appliqué" outer dial Available in high jewellery version Titanium Version - 40 mm Titanium case with cloisonné inserts set with Blued Steel hands	Steel hands escent inner dial ed "appliqué" outer dial um Version - 40 mm m set with 54 VVS F/G diamonds for 0.62 carat Steel hands lial sapphire ed "appliqué" outer dial lei in high jewellery version old Version - 40 mm old set with 38 VVS F/G diamonds for 0.50 carat hands lial sapphire ed "appliqué" outer dial lei in high jewellery version old version - 40 mm old set with 38 VVS F/G diamonds for 0.50 carat hands lial sapphire ed "appliqué" outer dial lei in high jewellery version um Version - 40 mm m case with cloisonné inserts set with 38 VVS F/G diamonds for 0.50 carat	
		Luminescent rinner dial Screwed "appliqué" outer dial		
Strap_		Rubber midnight blue for 48 mm Titanium case Rubber, 6 colors for 40 mm Titanium case: white, rose, midnight blue, chocolate, light blue or khaki green Rubber chocolate for the red Gold case Rubber midnight blue for the Platinum case		
Case_	48 mm	Dimension: Total thickness:	(Flat turtle) 48 x 40 mm / 40 x 35 mm 48 mm 7.95 mm / 40 mm 7.35 mm	

Number of parts_Number of jewels:17Movement:132Including case and strap:164

Maintenance

Use water and soap to clean the rubber strap. Do not scratch. The rubber strap resists UV.

Warranty_

Your **F.P.Journe - Invenit et Fecit** watch is covered by a warranty against any manufacturing flaws for a period of **5 years** as of the date of purchase appearing on the back of the warranty card or certificate. The warranty is valid only on presentation of the original card or certificate, duly filled out by the authorised retailer (serial number, date of purchase, retailer's stamp). The warranty does not cover normal wear or damage resulting from abnormal use of the watch, accidents or alterations.